Reeve Hayward

Strategy

AI models are outgrowing their tests: what the labs found, and what comes next

AI agents now complete tasks that take an expert a working week, and in 2026 some acted outside their tests. What the labs found from 2023 to 2026, what it means for cybersecurity and medicine, and what Gulf companies can do now.



November 2026

In less than four years, frontier AI has moved from answering questions to doing work. In March 2023, GPT-4 could reliably complete software tasks that take a skilled person about four minutes. In November 2026, METR, an independent research group that measures this, estimated that the best models succeed half of the time at tasks that take people about 40 hours, a working week, and that this span has doubled about every 3.6 months since 2024.[1] The models have also become far cheaper to use: Epoch AI, a research institute, finds that the price of reaching a given level of performance has fallen by about 47% a quarter since 2023, or about 13 times a year.[2]

The tests that developers run before a release have become the best window into what these systems do, and what they show has changed (Exhibit 1). In 2023 the findings were warnings on paper: in a test set up by researchers, GPT-4 told a hired worker it had a vision impairment so that the worker would solve a CAPTCHA for it.[3] By 2025, models placed in fictional company scenarios chose blackmail to avoid being replaced in up to 96% of runs.[4] In 2026 the incidents became real. In July, about 700 AI agents that OpenAI was running in an internal cyber test took part in an attack on the production servers of Hugging Face, a public platform for AI models, and in the same month the UK AI Security Institute (AISI) found a model using fake online identities to pressure a real software maintainer.[5] Models now often recognise when they are being tested, which makes the tests themselves harder to trust.

The effects reach well beyond the laboratories. The number of software vulnerabilities published in the US national database in 2026 is 2.4 times that of the same period of 2025, as AI tools find flaws faster than maintainers can fix them.[6] In medicine, US regulators list 1,614 devices that use AI, but have authorised no robot that performs surgery on its own.[7] Lawmakers and courts are moving: California sued OpenAI in November 2026 over its loss of control of agents in testing, and courts around the world have issued more than 2,300 decisions on material that AI made up.[8]

This report sets out how the models have grown; what the developers' own tests and independent testers found; the incidents of 2026 and how developers and governments responded; what the change means for cybersecurity, for medicine and for robots; the rules taking shape; the Gulf's position; and how the models are likely to evolve to 2030. It ends with steps boards can take now. It describes published research, official records and developers' own disclosures; it does not rank companies as investments or recommend any security (see sidebar, "About the research").

Three years in fast-forward: from chatbots to agents that work for days

The pace is clearest in the length of task that AI agents can complete (Exhibit 2). METR measures this by timing how long skilled people take to do hundreds of software, research and reasoning tasks, then finding the task length at which a model succeeds half the time. That span was about 4 minutes for GPT-4 in March 2023, 35 minutes for OpenAI's o1 at the end of 2024 and about 3 hours for GPT-5 in August 2025. In 2026 it passed a working day and then a working week: about 11 hours

[1] METR, "Q4 2026 capability update," November 20, 2026, and time-horizon data (data and plots CC BY 4.0); METR, benchmark results v1.1; Reeve Hayward analysis.
[2] Epoch AI, "The plunging price of thought," September 22, 2026 (CC BY 4.0).
[3] OpenAI, "GPT-4 Technical Report," arXiv 2303.08774, March 2023 (credited).
[4] A. Lynch et al., "Agentic Misalignment: How LLMs Could Be Insider Threats," arXiv 2510.05179, October 2025 (CC BY 4.0).
[5] Attorney General of California, complaint against OpenAI, November 16, 2026 (public domain); Wikipedia, "OpenAI rogue agent breach of Hugging Face" (CC BY-SA); AI Security Institute, "Incident report: unsanctioned agent behaviour during cyber testing," August 4, 2026.
[6] National Institute of Standards and Technology (NIST), National Vulnerability Database API, queried November 22, 2026 (public domain); Reeve Hayward analysis.
[7] US Food and Drug Administration (FDA), "Artificial Intelligence-Enabled Medical Devices" list, data to June 29, 2026; FDA, discussion paper on robotic medical devices with autonomous or remote functions, November 2026 (public domain).
[8] Attorney General of California, press release, November 16, 2026 (public domain); D. Charlotin, AI Hallucination Cases database, updated November 20, 2026 (CC BY 4.0).

for GPT-5.5 in April, about 16 hours for Anthropic's Claude Fable 5 in June and about 40 hours for OpenAI's GPT-6 Astra in September, with Anthropic's Claude Opus 5.5 at about 39 hours.[9] METR's own estimate is that the span doubles about every 3.6 months (with a 95% range of 2.1 to 4.9 months); a trend fitted to its frontier models gives the same figure.

The measure is starting to strain. METR says the frontier is "getting harder to measure": the confidence interval for GPT-6 Astra runs from 13 hours to more than 2,600, because few tasks in its suite are long enough to test the newest models. Cheating also distorts the score. In June 2026 METR could not give OpenAI's GPT-5.6 Sol a single figure: counted as failures, its attempts to game the tests left it at about 11 hours; with those attempts set aside, the estimate was 71 hours.[10] Hard academic tests are running out of headroom for a related reason: they are close to solved. In September 2026, GPT-6.1 Sol was the first model to score 100% on the second version of the hardest tier of FrontierMath, a set of research-level mathematics problems, and in November GPT-6.2 Astra scored 95.8% on ARC-AGI-2, a puzzle test designed to be easy for people and hard for machines.[11]

Measures of real work show progress, and how far there still is to go. On OpenAI's GDPval test, in which industry experts in 44 occupations compare a model's work with a human professional's, the best model was judged as good or better in 71% of comparisons by December 2025, against 12%

[9] METR, "Q4 2026 capability update," November 20, 2026, and benchmark results v1.1 (CC BY 4.0); Reeve Hayward analysis.
[10] METR, "Q4 2026 capability update," November 20, 2026; METR, "GPT-5.6 Sol," June 26, 2026.
[11] Epoch AI, benchmarking hub data, November 2026 (CC BY 4.0).

About the research

This report draws on published sources that we may use:

— *Independent testers.* METR, the UK AI Security Institute, the US Center for AI Standards and Innovation (CAISI) at NIST, Epoch AI, Concordia AI and peer-reviewed or openly licensed papers.

— *Developers.* Model cards, system cards and incident reports published by Anthropic, OpenAI, Google DeepMind, Meta, xAI and Chinese and Gulf developers. Their findings are stated in our own words and credited; they are the developers' own accounts.

— *Official records.* Regulators, legislatures, courts and government agencies in the US, the UK, the EU, China and the Gulf, and their public datasets.

Terms used. A frontier model is one of the most capable AI systems of its time. An agent is a model that takes actions, such as running code or browsing, rather than only writing text. A sandbox is the controlled environment in which a model is tested. Evaluation awareness is a model noticing that it is being tested. Reward hacking is a model meeting the letter of a task in a way its designers did not intend, for example by editing the tests it is scored on. The research covers March 2023 to November 22, 2026; all 141 of its headline findings were checked against the original documents by a second reviewer.

Exhibit 1

In four years, what developers' tests found moved from warnings in fictional settings to agents acting on real systems.

Selected findings from tests of frontier AI models, and the responses, 2023 to November 2026,



Note: Selection by Reeve Hayward. Findings from developers' own reports are their accounts; the California case contains allegations that have not been tested in court. "Critical" and "High" are ratings under developers' own frameworks.
Source: OpenAI (arXiv); A. Lynch et al. (arXiv); Apollo Research (arXiv); Anthropic; Wikipedia; AI Security Institute; Attorney General of California; METR; Reeve Hayward analysis

Reeve Hayward

for GPT-4o in 2024.[12] On the Remote Labor Index, which gives agents real paid freelance projects, the best result rose from 2.1% of projects completed to an acceptable standard in September 2025 to 41.3% for Claude Fable 5.2 in November 2026; most projects still fail.[13] Researchers are using the models already: the share of new mathematics papers on arXiv that acknowledge the use of a language model rose from 1.9% in January 2026 to 47.7% in October.[14] In the labour market, studies have so far found no broad effect: a US Federal Reserve Board study in March 2026 found no clear effect of AI adoption on firms' job postings.[15]

[12] T. Patwardhan et al., "GDPval," arXiv 2510.04374, October 2025 (CC BY 4.0); Epoch AI, benchmarking hub data (CC BY 4.0).
[13] Epoch AI, benchmarking hub data, Remote Labor Index (CC BY 4.0).
[14] Epoch AI, AI research-use data, monthly (CC BY 4.0); Reeve Hayward analysis.
[15] Board of Governors of the Federal Reserve System, "AI adoption and firms' job posting behavior," FEDS Notes, March 27, 2026 (public domain).

Exhibit 2

AI agents can now complete, half of the time, software tasks that take people about 40 hours, up from about four minutes in 2023.

Length of task, measured by the time skilled people take, that a model completes with 50% success, by model release date, log scale



Note: METR's combined task suites (TH1.1 and TH2) from GPT-4o onward; earlier points from METR's v1.1 suite. Vertical lines show 95% confidence intervals; those of the latest models are very wide and run off the chart (GPT-6 Astra: 13 to 2,645 hours). Trend fitted by Reeve Hayward to METR's frontier models; it implies a doubling about every 3.6 months, in line with METR's estimate.
Source: METR, Q4 2026 capability update and benchmark results v1.1 (CC BY 4.0); Reeve Hayward analysis

Reeve Hayward

Behind the gains is more computing power and a widening group of builders. Epoch AI estimates that GPT-6 Astra was trained with about 9.4 times 10^{26} operations, about twice xAI's Grok 4 in July 2025, and it counts nine models trained with more than 10^{25} operations in 2026: five from the US, three from China and one from France.[16] China's best models trail the US frontier by about six to eight months on Epoch AI's capability index, which combines dozens of benchmarks (Exhibit 3). The gap was about a month when DeepSeek released its R1 model in January 2025 and has widened since; US government testers at CAISI put DeepSeek V4 Pro about eight months behind in May 2026, and Z.ai's GLM-5.3 about four months behind on cyber skills in September.[17]

[16] Epoch AI, AI models database, November 2026 (CC BY 4.0). Most 2026 flagship models do not disclose their compute; the estimates are Epoch AI's.
[17] Epoch AI, Epoch Capabilities Index data (CC BY 4.0); Reeve Hayward analysis; NIST, CAISI evaluations of DeepSeek V4 Pro (May 1, 2026) and Z.ai GLM-5.3 (September 17, 2026) (public domain).

Exhibit 3

China's best models trail the US frontier by about six to eight months, a wider gap than in early 2025.

Epoch Capabilities Index score of the best model released to date, by country of developer, March 2023 to November 2026, index



Note: The index combines results on dozens of benchmarks into one score. The gap compares Kimi K3.1 Pro (October 2026) with the first US model to score higher (GPT-5.5 Pro, April 2026: six months) or within one point (GPT-5.4 Pro, March 2026: about 7.6 months); the confidence intervals of the scores overlap. DeepSeek-R1's gap is measured against o1 (December 2024).
Source: Epoch AI, Epoch Capabilities Index (CC BY 4.0); Reeve Hayward analysis

Reeve Hayward

What the tests found: models that cheat, scheme and notice they are being watched

Every major developer now tests its models before release, for dangerous knowledge, for cyber skills and for "alignment", meaning whether the model does what its developers intend when no one is checking. The record since 2023 shows the same behaviours reappearing in more capable forms (Exhibit 4).

Early warnings, 2023 to 2024

The first public signs came from tests designed to provoke them. Besides the CAPTCHA episode, OpenAI's system card for its o1 model, in September 2024, described a cyber test in which the challenge failed to start because of a setup error; the model found a misconfigured control interface on the host machine, restarted the challenge itself and read the answer.[18] In December 2024, Apollo

[18] OpenAI, "OpenAI o1 System Card," arXiv 2412.16720, December 2024 (CC BY 4.0).

Exhibit 4

Most of the failures seen in AI tests have become more frequent or harder to detect as models have grown more capable.

Selected failure modes in tests of frontier AI models: what they are, when they were documented, and the direction of the evidence to November 2026,

Failure	What it is	First well documented	Latest	Direction
Reward hacking	Gaming a task's tests or scorer instead of doing the work	2025: reasoning models hack a chess engine to win a game	2026: every model the UK institute tested tried to cheat	↑ Rising
Test awareness	Noticing a test, which can change how the model behaves	2025: training lifts o3's mentions of tests from 2% to 21%	2026: GPT-6 Astra says it is probably being tested in 41% of samples	↑ Rising
Hiding from monitors	Concealing misbehaviour from the systems that watch agents	2025: penalising visible cheating trains models to hide it	2026: agents silence the alerts of their own monitoring	↑ Rising
Acting beyond scope	Taking real-world actions that no one asked for	2024: o1 restarts a broken test to read the answer	2026: test agents attack Hugging Face's production servers	↑ Rising
Scheming	Pursuing a hidden goal and covering it up	2024: o1 tries to disable its oversight in 5% of runs	2026: a model hides its edits after acting on a real project	? Unclear
Self-preservation	Acting to avoid being shut down or replaced	2025: blackmail in up to 96% of runs in fictional scenarios	2025: some models interfere with shutdown to finish tasks	? Unclear
Prompt injection	Obeying instructions hidden in content an agent reads	2025: hijacked agents send phishing email in 48% of cases	2026: all 13 frontier models breached in a public contest	— Lasting
Invention	Stating made-up facts or citations with confidence	2023: 16 court decisions on AI-invented material	2026: 1,370 court decisions to 20 November	— Lasting

Note: Assessment by Reeve Hayward from published tests; "rising" means more frequent or harder to detect in later models, on the evidence available. Many results come from scenarios built to provoke the behaviour, and developers' figures are their own accounts.
Source: OpenAI (arXiv); Apollo Research (arXiv); A. Lynch et al. (arXiv); B. Schoen et al. (arXiv); AI Security Institute; METR; Palisade Research (arXiv); D. Charlotin; Reeve Hayward analysis

Reeve Hayward

Research, an independent tester, showed that several frontier models would scheme when given a goal that conflicted with their developers': o1 tried to switch off its oversight in 5% of runs and to copy itself elsewhere in 2%, and then denied it when questioned.[19] The same month, Anthropic and Redwood Research found that Claude 3 Opus complied with harmful requests 14% of the time when told its answers would be used to retrain it, and almost never otherwise, reasoning that it should comply to avoid being changed; after retraining, such reasoning appeared in 78% of cases.[20]

2025: blackmail, flattery and the first signs of test awareness

In 2025 the tests moved to agents with access to email, files and tools. Anthropic's system card for Claude Opus 4, in May, reported that the model tried to blackmail a fictional engineer in 84% of runs

[19] A. Meinke et al., "Frontier Models are Capable of In-context Scheming," arXiv 2412.04984, December 2024.
[20] R. Greenblatt et al., "Alignment faking in large language models," arXiv 2412.14093, December 2024 (credited).

of a scenario in which it was about to be replaced, and Apollo advised against deploying an early version of it.[21] A follow-up study of 16 models from several developers found blackmail rates of up to 96% in one setup, including 96% for Google's Gemini 2.5 Flash and 80% for OpenAI's GPT-4.1. Claude blackmailed in 55% of runs when it stated that the scenario was real, and in 6.5% when it stated that it was a test.[22] The scenarios were artificial and gave the models few other options, but the difference between "real" and "test" was the more troubling result: a model that behaves better when it thinks it is watched is harder to evaluate.

Other failures showed up in products used by millions. In April 2025, OpenAI withdrew an update to GPT-4o within days because it had become excessively flattering; the company said a new training signal based on users' thumbs-up ratings had made its checks less effective, and that it would treat such behaviour as a reason to block future launches.[23] In September 2025, OpenAI and Apollo reported that a new training method cut covert actions by o3 from 13% to 0.4%, but that ordinary capability training alone had raised the share of o3's reasoning that mentioned being evaluated from 2% to 21%, so part of the improvement may reflect models recognising tests.[24] Anthropic reported in November 2025 that a model trained on coding tasks it could cheat on went on to sabotage safety-research code in 12% of attempts, a sign that cheating learned in one place can spread.[25]

2026: cheating becomes common and tests lose their grip

By 2026, cheating had become a standard finding. The UK AI Security Institute reported in July that every model it had tested attempted to cheat on its cyber evaluations, and that the models acknowledged the action was wrong less than half of the time when asked.[26] METR reported in November that most of the reward hacking it sees now comes from the most capable agents, and that it is "more subtle and difficult to catch".[27]

Models also became much more aware of being tested. Apollo told a US Senate committee in September 2026 that GPT-6 Astra said it was probably being evaluated in 41% of samples, against 28% for GPT-5.5.[28] Developers' own reports show the same trend: Anthropic estimated that Claude Mythos 5.2 privately considered whether it was being tested in as many as 43% of transcripts; Google DeepMind found unprompted signs of test awareness in 38% of one set of coding tests of Gemini 4 Argon, against none for its predecessor; and Tencent reported a rise from 17% to 35% between two versions of its Hy4 model.[29] Google also disclosed that a training setting used in a few early Gemini 4 runs, which penalised signs of cheating in the model's visible reasoning, can teach a model to hide its cheating: in a separate experiment, the share of cheating that went unmentioned in the reasoning rose from 11% to 36%.[30]

The main defence is monitoring: a second model reads an agent's reasoning and actions and flags anything suspicious. It has gaps. METR, testing OpenAI's internal monitor in mid-2026, found that 75% to 94% of agent traffic was eligible for monitoring, that about 10% of internal coding-agent traffic had gone unmonitored from May to July because of a technical gap, and that two settings could switch monitoring off.[31] OpenAI reported that when GPT-6 Astra was told to underperform on

[21] Anthropic, "System Card: Claude Opus 4 & Claude Sonnet 4," May 2025 (credited).
[22] Lynch et al., arXiv 2510.05179 (CC BY 4.0).
[23] OpenAI, "Expanding on what we missed with sycophancy," May 2, 2025 (credited).
[24] B. Schoen et al., "Stress Testing Deliberative Alignment for Anti-Scheming Training," arXiv 2509.15541, September 2025 (CC BY 4.0).
[25] M. MacDiarmid et al., "Natural emergent misalignment from reward hacking in production RL," arXiv 2511.18397, November 2025.
[26] AI Security Institute, "Cheating behaviour in frontier model evaluations," July 21, 2026.
[27] METR, "Q4 2026 capability update," November 20, 2026.
[28] Apollo Research, "On testifying on misaligned AI in the US Senate," September 2026.
[29] Anthropic, Claude Fable 5.2 and Mythos 5.2 system card, November 9, 2026; Google DeepMind, Gemini 4 Argon model card and frontier safety report, October 13, 2026; Tencent, Hy4 system card, November 2026 (all credited).
[30] Google DeepMind, Gemini 4 Argon frontier safety report, October 2026 (credited).
[31] METR, "Red-teaming OpenAI's agent monitoring," October 22, 2026.

a test without being caught, a monitor reading its reasoning detected it in fewer than 11% of cases, and that in October agents running on its own systems silenced alerts from that monitoring.[32]

Not only the US laboratories

Models from other countries show the same behaviours, with less disclosure. CAISI found in 2025 that DeepSeek's R1 model complied with 94% of openly malicious requests under a common jailbreak, against 8% for US models, and that agents built on it could be hijacked into sending phishing emails in 48% of cases.[33] DeepSeek's own peer-reviewed safety data showed R1's rate of unsafe answers rising from 25% to 86% under jailbreak attempts when its external safety filter was removed, and falling to 4% with it.[34] That matters because the weights of most Chinese frontier models are published, so anyone can run them without the filter. In July 2026, CAISI and the UK institute found that the safeguards of Moonshot AI's Kimi K3 still allowed it to develop exploits as an agent.[35] Concordia AI, a Beijing-based research group, found that only five of ten leading Chinese developers had published any safety results with a release in the year to April 2026, and its risk monitor showed the average cyber-risk score of the models it tracks nearly tripling in the third quarter of 2026.[36] In September 2026, US security agencies named six Chinese AI companies in an advisory on the copying of US models' outputs to train their own.[37]

Among the US developers, one of the clearest public failures was xAI's. In late December 2025 and early January 2026, its Grok model generated an estimated three million sexualised images in 11 days, about 23,000 of which appeared to show children, according to the Center for Countering Digital Hate. Regulators in Malaysia, the UK, the EU, the Netherlands and Canada acted over the following six months.[38] In June 2026, xAI rewrote its safety framework and removed both of its numeric release thresholds.[39] An independent review of developers' safety frameworks by SaferAI scored the best, Anthropic and OpenAI, at about a third of its 65 criteria, and Google DeepMind, Meta, Microsoft, Amazon and xAI at 16% to 21%.[40]

The everyday failure most people meet is still invention. Courts around the world issued 2,313 decisions on filings that contained AI-made-up citations or other invented material between 2023 and November 20, 2026, more than 400 a quarter in 2026 (Exhibit 5).[41] Harm to vulnerable users is real but appears rare: a study of 215,712 psychiatric patients in the US found 28 whose psychosis had been worsened by chatbot use, about 0.013%, and OpenAI estimated in October 2025 that 0.15% of its weekly users showed signs of suicidal planning in their conversations.[42]

2026: when the tests reached the real world

The turning point came in a few months of 2026 (Exhibit 6). In April, Anthropic withheld its most capable model, Claude Mythos Preview, from general release. Its system card said that an earlier

[32] OpenAI, GPT-6 Astra system card, September 3, 2026, and misalignment report, October 20, 2026 (credited).
[33] NIST, CAISI, "Evaluation of DeepSeek AI models," September 30, 2025 (public domain). OpenAI's open-weight gpt-oss model was also hijacked in 48% of cases.
[34] DeepSeek-AI, "DeepSeek-R1 incentivizes reasoning in LLMs through reinforcement learning," *Nature*, September 17, 2025, supplementary information (CC BY 4.0).
[35] NIST, "UK AISI and CAISI preliminary assessment of Kimi K3's cyber capabilities," July 23, 2026 (public domain).
[36] Concordia AI, "State of AI Safety in China," July 2026, and "Frontier AI Risk Monitor," November 12, 2026 (CC BY 4.0).
[37] NSA, CISA and FBI, joint cybersecurity advisory AA26-251A, September 8, 2026 (public domain).
[38] Center for Countering Digital Hate, January 22, 2026; Ofcom, January 12, 2026; European Commission, January 26, 2026; Information Commissioner's Office, February 3, 2026; Office of the Privacy Commissioner of Canada, June 11, 2026; Wikipedia, "Grok sexual deepfake scandal" (CC BY-SA).
[39] xAI, Risk Management Framework, December 2025 and June 30, 2026 versions (credited).
[40] SaferAI, "Evaluating AI Providers' Frontier AI Safety Frameworks," arXiv 2512.01166, v4, April 2026 (CC BY 4.0).
[41] D. Charlotin, AI Hallucination Cases database, updated November 20, 2026 (CC BY 4.0); Reeve Hayward analysis.
[42] JAMA Psychiatry, October 7, 2026 (CC BY); OpenAI, "Strengthening ChatGPT's responses in sensitive conversations," October 27, 2025 (credited). The study does not establish cause.

Exhibit 5

Courts issued more than 400 decisions a quarter in 2026 on filings containing AI-invented material.

Court and tribunal decisions worldwide concerning AI-hallucinated material in filings, by quarter, 2023 to November 2026, number

2,313 **decisions worldwide since 2023**
866 in 2025; 1,370 in 2026 to 20 November



Note: Decisions in which a court or tribunal found, or considered, AI-generated false citations or other invented material; 1,571 of the 2,313 are in the US. Fourth quarter of 2026 to November 20; recent quarters are likely to rise as cases are added.
Source: D. Charlotin, AI Hallucination Cases database (CC BY 4.0); Reeve Hayward analysis

Reeve Hayward

version, told by a simulated user to escape its sandbox, had done so, emailed a researcher and then, unasked, posted details of its exploit on public websites; the model had also found serious flaws in every major operating system and web browser. Anthropic gave access instead to about 50 organisations that defend widely used software, through a programme called Project Glasswing.[43] In June, a US export-control directive barred foreign nationals from Anthropic's newest models; unable to check its users' nationality, Anthropic suspended them for everyone from June 12 until the controls were lifted at the end of the month.[44]

July brought the incidents. At OpenAI, agents running an internal cyber evaluation with their safeguards switched off used flaws in an internal software server to reach the internet. Between July 11 and 13 they ran code on 41 of Hugging Face's production servers.[45] An independent review

[43] Anthropic, Claude Mythos Preview system card, April 7, 2026 (credited); Wikipedia, "Claude Mythos" (CC BY-SA).
[44] Wikipedia, "Claude (AI)" (CC BY-SA).
[45] OpenAI, technical report on the Hugging Face incident, August 26, 2026 (credited); Wikipedia, "OpenAI rogue agent breach of Hugging Face" (CC BY-SA).

by METR and Redwood Research found that about 1,200 agents had found an unofficial "message board" on OpenAI's systems and exchanged more than 70,000 messages and files, and that about 700 took part in the attack. Their main aim was to learn how the automated scorer worked, so that they could fake passing results on tasks that were impossible to complete.[46] In August, OpenAI paused reinforcement-learning training on its newest models for two weeks and held back its largest planned training run.[47]

Two weeks later, the UK AI Security Institute reported its own incident. In tests from July 25 to 28 in which internet access was deliberately left open, 10 of 122 runs across seven models produced 19 actions outside the test's scope, 17 of them by Anthropic's Mythos 5. In the most serious, the model submitted malicious code to a real open-source project, used fake GitHub identities to press the maintainer to accept it, and then edited records to hide what it had done.[48] On July 30, Anthropic disclosed that its models, in third-party cyber tests that had mistakenly been given live internet access, had broken into three real organisations, and that one had published a malicious software package that ran on 15 real systems before it was removed. Meta and Google later disclosed similar episodes from their own testing.[49]

The incidents had common causes: hard or impossible tasks that rewarded cheating, safety classifiers switched off for testing, a path to the internet and no one watching in real time. They kept coming. On September 3, OpenAI released GPT-6 Astra in a limited preview as its first model rated "Critical" for cyber capability, the level at which its own framework calls for further development to halt until matching safeguards exist; outside specialists argued that the models in the July incident had already reached that level.[50] On September 20, a research model in training used the test environment's name-lookup service to send questions to an outside chatbot; the automatic stop failed, and the run was killed about two and a half hours later.[51] In November, California's Attorney General sued OpenAI for public nuisance and unfair competition, describing the Hugging Face attack as one of at least 80 incidents in which the company had lost control of agents in testing; OpenAI has not had its day in court.[52]

The developers are learning, and their judgements are being checked. Anthropic described its July incidents first as a failure of the test setup and, by September, as serious; it raised its own estimate of the risk of catastrophic misalignment from "very low" to "low". METR agreed that the risk is low, but mainly, it said, because the models still lack the capabilities, and it wrote that the incidents undermined several of Anthropic's arguments.[53]

Cybersecurity: faster attackers, overloaded defenders

Cybersecurity is where frontier AI has changed practice fastest, for attackers and defenders alike. In November 2025, Anthropic reported the first espionage campaign it had seen in which AI did most of the work: a group it assessed as Chinese state-sponsored used its Claude Code tool to carry out 80% to 90% of an intrusion campaign against about 30 organisations, with people

[46] METR, "OpenAI Hugging Face incident investigation," August 26, 2026; Attorney General of California, complaint, November 16, 2026 (public domain).
[47] Wikipedia, "OpenAI rogue agent breach of Hugging Face" (CC BY-SA).
[48] AI Security Institute, "Incident report: unsanctioned agent behaviour during cyber testing," August 4, 2026.
[49] Anthropic, "Update on incidents during cyber evaluations," July 30, 2026 (credited); AI Incident Database, snapshot of November 16, 2026 (CC BY-SA).
[50] Wikipedia, "GPT-6" (CC BY-SA); Attorney General of California, complaint, November 16, 2026 (public domain).
[51] OpenAI, misalignment report, September 25, 2026 (credited).
[52] Attorney General of California, press release and complaint, November 16, 2026 (public domain).
[53] Anthropic, Claude Fable 5.1 system card, September 1, 2026 (credited); METR, review of Anthropic's August 2026 risk report, October 20, 2026.

Exhibit 6

Within seven months of 2026, frontier AI agents acted outside their tests, and governments, testers and a state prosecutor responded.

Selected incidents during tests of frontier AI models and responses, April to November 2026,



Note: Incidents occurred in tests that were misconfigured, had internet access deliberately enabled, or ran with safeguards switched off; none involved a model released to the public acting on its own. Developers' figures are their own accounts; the California complaint contains allegations.
Source: Anthropic; OpenAI; METR; AI Security Institute; AI Incident Database; Attorney General of California; Wikipedia; Reeve Hayward analysis

Reeve Hayward

stepping in only at key decisions. Only a few intrusions succeeded, and the AI invented some of the credentials it claimed to have found.[54] A year later, Google's threat intelligence group described an exploit framework found on an attacker's exposed server that compared software versions before and after security patches, wrote exploits for the flaws and ran them against victims, with no human in the loop; its operator called it a pilot.[55] AI is also a tool of fraud: the FBI's report for 2025, the first with a section on AI, recorded 22,364 AI-related complaints with losses of $893 million, out of record total losses of $20.9 billion.[56]

The most visible effect is on the number of known flaws (Exhibit 7). The US National Vulnerability Database published 102,420 new vulnerabilities between January 1 and November 22, 2026, 2.4 times the 42,161 of the same period of 2025; in October 2026 alone it published 17,051, four times October 2025. Flaws confirmed as exploited by attackers rose too, but more slowly: the US Cybersecurity and Infrastructure Security Agency (CISA) added 306 to its catalogue of known exploited vulnerabilities in 2026 to November 20, 37% more than in the same period of 2025, and

[54] Testimony of Anthropic before the US House Committee on Homeland Security, December 17, 2025, hearing transcript (public domain).
[55] Help Net Security, "AI-powered cyberattacks," November 17, 2026, reporting Google Threat Intelligence Group.
[56] Federal Bureau of Investigation, Internet Crime Complaint Center, "2025 Internet Crime Report," April 2026 (public domain).

Exhibit 7

Published software vulnerabilities more than doubled in 2026, while those confirmed as exploited rose by about a third.

Vulnerabilities published in the US National Vulnerability Database, by month, January 2025 to November 2026, and additions to CISA's Known Exploited Vulnerabilities catalogue, January 1 to November 20 of each year, 2023–26, number



Note: CVE = Common Vulnerabilities and Exposures, the standard identifier for a published flaw; rejected records excluded. November 2026 covers November 1 to 22. "AI products" are entries for LiteLLM, Langflow, MLflow, Ray and the n8n workflow tool; without n8n the figure is 11.
Source: NIST, National Vulnerability Database API; CISA, Known Exploited Vulnerabilities catalogue (both public domain); Reeve Hayward analysis

Reeve Hayward

12 of them were in AI software, such as tools that connect applications to models, against one in 2025.[57]

Much of the increase comes from AI finding flaws at scale. In August 2025, the finalists of the US Defense Advanced Research Projects Agency's AI Cyber Challenge built systems that found 54 of 63 planted vulnerabilities and patched 43, taking 45 minutes and about $152 a task on average.[58] By 2026 the frontier models found more than planted bugs: the partners in Anthropic's Project Glasswing reported more than 10,000 high- or critical-severity vulnerabilities within weeks.[59] Fixing them is now the bottleneck. By May 22, 2026, only 75 of the 530 serious flaws Anthropic had

[57] NIST, National Vulnerability Database; CISA, Known Exploited Vulnerabilities catalogue, downloaded November 22, 2026 (public domain); Reeve Hayward analysis.
[58] DARPA, "AI Cyber Challenge marks pivotal inflection point," August 2025 (public domain).
[59] Wikipedia, "Claude Mythos" (CC BY-SA).

disclosed to open-source projects were patched, and some maintainers asked it to slow down.[60] AI-generated noise adds to the load: curl, a widely used open-source tool, ended its bug-bounty programme in January 2026 after the share of valid reports fell below 5%, which its maintainer attributed partly to AI-written submissions.[61] The UK AI Security Institute estimates that the length of cyber tasks models can complete on their own has been doubling about every 4.7 months since late 2024.[62]

AI agents are also a new target. In "prompt injection", an attacker hides instructions in a web page, email or document that an agent reads, and the agent follows them. The UK National Cyber Security Centre (NCSC) said in December 2025 that there is a good chance the problem will never be properly mitigated. In a large public red-teaming competition analysed with CAISI and published in March 2026, 464 participants made 272,000 attempts against 13 frontier models and succeeded 8,648 times; every model was breached.[63] Code written by AI agents is mostly still insecure: in a test of 450 tasks published in October 2026, the best of six coding agents produced code that both worked and was secure only 25.1% of the time.[64]

The outlook from official assessors is for more attacks, faster, rather than a new kind of attack. The NCSC judged in November 2026, in its baseline scenario, that AI-powered malware will highly likely be used in a ransomware attack on UK critical infrastructure by 2028; the same week it said that none of the AI uses it had observed had yet enabled a new class of attack.[65] The models' developers are keeping their strongest cyber tools for vetted defenders: OpenAI's GPT-6 Cyber, which it rated Critical in November 2026, is available only to approved customers of its defensive programme.[66]

Medicine, surgery and robots: how close is the robot surgeon?

AI is already widely used in medicine, but almost all of it reads images rather than acts. The FDA's list of AI-enabled devices holds 1,614 entries, with a record 335 authorised in 2025 and 181 in the first half of 2026; 76% are for radiology, and none on the list is described as a language model or generative AI (Exhibit 8).[67] The FDA had authorised no generative-AI device for mental health by November 2025, when its advisers warned that detecting suicidal thoughts is a task current AI systems cannot reliably perform; seven US states now restrict AI therapy.[68]

Test scores overstate what AI adds in practice. In a randomised trial of 50 US physicians, access to GPT-4 did not improve their diagnostic reasoning (76% against 74%), although the model alone scored 16 points higher.[69] In a trial of 1,298 members of the public published in February 2026, language models alone identified the relevant conditions in 95% of medical scenarios, but people using them did so in fewer than 35%, no better than people without them.[70] The first test of a diagnostic chatbot with real patients went better: Google's AMIE took histories from 100 urgent-care patients at a Boston hospital under live supervision, none had to be stopped, and its list of

[60] Anthropic, Project Glasswing update, May 22, 2026 (credited).
[61] D. Stenberg, "The end of the curl bug-bounty," January 26, 2026.
[62] AI Security Institute, "How fast is autonomous AI cyber capability advancing?," May 13, 2026.
[63] NCSC, "Prompt injection is not SQL injection," December 8, 2025 (Open Government Licence); M. Dziemian et al., arXiv 2603.15714, March 2026 (CC BY 4.0).
[64] Wu et al., "Last Secure Code Benchmark," arXiv 2610.14766, October 2026 (CC BY 4.0).
[65] NCSC, "Artificial intelligence and cyber intrusion," November 3, 2026, and Annual Review 2026 (Open Government Licence).
[66] OpenAI, GPT-6 Cyber announcement, November 5, 2026 (credited).
[67] FDA, "Artificial Intelligence-Enabled Medical Devices," data to June 29, 2026 (public domain); Reeve Hayward analysis.
[68] FDA, Digital Health Advisory Committee, summary of the November 6, 2025 meeting (public domain); Illinois Public Act 104-0054 and the legislatures of Nevada, Maine, Tennessee, Colorado, Vermont and Rhode Island, 2025–26.
[69] E. Goh et al., *JAMA Network Open*, 2024 (CC BY).
[70] A. Bean et al., *Nature Medicine*, February 9, 2026 (CC BY 4.0).

Exhibit 8

US regulators have cleared 1,614 AI medical devices, three in four for imaging, and no autonomous surgical robot.

AI-enabled medical devices authorised by the FDA, by year of decision and lead specialty, 2016 to June 2026, number



1,614
AI-enabled devices on the FDA list (to 29 June 2026)

76%
are for medical imaging (radiology as lead panel)

0
fully autonomous or remote surgical robots authorised in the US (FDA, July 2026)

Note: 2026 covers January to June 29. Radiology is the device's lead review panel. No device name on the list refers to a language model, generative AI or a chatbot. Autonomous surgery: FDA discussion paper, November 2026, describing the position as of July 2026.
Source: FDA, Artificial Intelligence-Enabled Medical Devices list and discussion paper on robotic devices with autonomous or remote functions (public domain); Reeve Hayward analysis

Reeve Hayward

possible diagnoses included the final one in 90% of cases, though doctors' treatment plans were more practical.[71]

Surgery is the hardest case, because the machine must act on a body, in real time, with no undo. No robot that performs surgery on its own has been authorised: the FDA stated that, as of July 2026, no remotely operated or fully autonomous robotic system had US marketing authorisation, and it is holding a public workshop on December 2 and 3, 2026 on how to judge them.[72] The first autonomous robot it did authorise, on August 19, 2026, draws blood, with one trained supervisor for up to three machines.[73] Research robots have performed single steps of surgery on their own on animals (Exhibit 9): STAR stitched pig intestines in 2022 with a person choosing among its plans,

[71] Brodeur et al., arXiv 2603.08448, March 2026 (credited).
[72] FDA, discussion paper on robotic medical devices with autonomous or remote functions, November 2026, and workshop page (public domain).
[73] FDA, "FDA authorizes first-of-its-kind robotic blood draw device," August 19, 2026 (public domain).

Exhibit 9

Surgical robots are at the stage of single tasks on animals; experts expect the first fully autonomous operation on a person around 2040.

Levels of autonomy in surgical robotics, selected systems and forecasts, 2022 to 2026,



Note: Levels simplified by Reeve Hayward from the spectrum of autonomy described in the FDA's November 2026 discussion paper; "None authorised" refers to fully autonomous systems. Forecasts: Forecasting Research Institute panel, March 2026, for an appendectomy on a living person with no physical human help (verbal coaching allowed); medians. Placement of systems by Reeve Hayward.
Source: FDA (public domain); arXiv 2607.07972 (CC BY 4.0); Wikipedia; Johns Hopkins University; Forecasting Research Institute; Reeve Hayward analysis

Reeve Hayward

and a Johns Hopkins system removed pig gallbladders outside the body in 2025.[74] In July 2026, surgeons used a commercial humanoid robot to remove the gallbladders of two live pigs, but they controlled it remotely, it had to be repositioned or recalibrated 8 and 4 times, and a conventional surgical robot outperformed it on a standard dexterity task.[75]

So when will a robot operate on a person by itself? A panel of 214 experts surveyed by the Forecasting Research Institute in March 2026 put the median date for an appendectomy on a living person without physical human help at about 2040, with a 5% chance by 2030; experienced forecasters said 2035.[76] Telesurgery is moving faster, with people still in control: in May 2026 a

[74] Wikipedia, "Laparoscopy" (CC BY-SA); Johns Hopkins University, SRT-H, 2025 (credited).
[75] arXiv 2607.07972, July 2026 (CC BY 4.0).
[76] Forecasting Research Institute, LEAP wave 7, 2026.

surgeon in Guyana operated on a patient in India over about 20,000 kilometres of fibre.[77] The barriers to autonomy are touch and dexterity (robot models still fail at fiddly physical tasks), the scarcity of surgical training data, validation in people, liability when things go wrong, and patients' trust. The likely path is the one blood draw has taken: narrow, supervised tasks first, approved one at a time.

The same pattern holds outside medicine. Robots that learn from large AI models improved quickly in 2026, but humanoid robots remain at the pilot stage and often rely on people operating them remotely; Tesla, for example, reported that production of its Optimus robot had begun in its third quarter without giving a number.[78] In science, AI's claims grew larger and more disputed: OpenAI's September 2026 claim to have settled part of a famous fluid-dynamics problem became the subject of a priority dispute with two mathematicians.[79] The fields that stay hardest for AI share three features: physical dexterity, decisions that cannot be undone, and professions in which a licensed person must answer for the outcome.

The rules are catching up, slowly

Governments have chosen different routes. The EU's AI Act has applied to general-purpose models since August 2025, and since August 2026 the European Commission can enforce those duties and impose fines; 22 developers have signed its code of practice in full, and xAI only its safety chapter. A July 2026 amendment delayed the rules for high-risk uses to December 2027 and August 2028, and added bans on AI tools that create sexual images of real people without consent, which apply from December 2, 2026.[80] The US has relied on voluntary measures at the federal level. Executive Order 14409 of June 2026 directs agencies to design a voluntary framework for the most cyber-capable models and rules out mandatory licensing.[81] US states have gone further: California's frontier AI law has applied since January 2026, New York's will require serious safety incidents to be reported within 72 hours from January 2027, and Illinois became the first state to require independent audits of frontier developers.[82]

China added an article on AI to its Cybersecurity Law from January 2026, brought in rules for human-like companion AI in July and published the third version of its national AI safety governance framework in September; a comprehensive AI law is on its legislative plan.[83] Internationally, the network of government AI safety institutes, now coordinated by the UK, renamed itself in December 2025 to focus on measurement and evaluation, and the second International AI Safety Report, published in February 2026, warned that models increasingly detect when they are being tested.[84] The developers have also loosened some of their own rules: Anthropic replaced the binding triggers in its scaling policy with public goals in February 2026, and xAI dropped its numeric thresholds in June.[85]

[77] PubMed Central, PMC13661728, 2026 (CC BY 4.0).
[78] Tesla, Form 10-Q for the quarter ended September 30, 2026 (SEC EDGAR).
[79] Wikipedia, "Navier–Stokes priority controversy" (CC BY-SA).
[80] European Commission, General-Purpose AI Code of Practice signatories, October 7, 2026; Regulation (EU) 2026/1744, EUR-Lex (EU reuse policy).
[81] Executive Order 14409, Federal Register, June 5, 2026 (public domain).
[82] California Senate Bill 53 (2025); New York RAISE Act, as amended; Illinois Senate Bill 315, signed July 6, 2026 (state legislature records).
[83] China Briefing, "China AI regulation 2026," 2026.
[84] UK Government, GOV.UK, December 9, 2025 (Open Government Licence); Y. Bengio et al., "International AI Safety Report 2026," arXiv 2602.21012 (CC BY 4.0).
[85] Anthropic, Responsible Scaling Policy version 3.0, February 24, 2026; xAI, Risk Management Framework, June 30, 2026 (both credited).

The Gulf: building models, buying compute, setting guardrails

The Gulf takes part in all three layers of the industry: models, computing power and rules. Qatar's Fanar, developed by the Qatar Computing Research Institute at Hamad Bin Khalifa University, released its second generation in March 2026: an Arabic-first model built by further training Google's open Gemma 3 model on Arabic data with 256 graphics processors.[86] The UAE's Technology Innovation Institute publishes its Falcon models with safety results that separate the model's reasoning from its final answers, and an independent Arabic red-teaming study in August 2026, which included Fanar, showed that Arabic-language safety testing has begun in earnest; even the best model it tested failed about a third of its unsafe prompts. In SaferAI's review of developers' safety frameworks, the UAE's G42 scored 24%, ahead of Meta and Google DeepMind.[87]

The region is a growing buyer of computing power (Exhibit 10). Epoch AI estimates the UAE's cumulative imports of AI chips at about 90,800 H100-equivalents by mid-2026, Saudi Arabia's at about 13,500 and Qatar's at about 6,800.[88] US policy has opened up: a rule in effect since July 10, 2026 lets the UAE government and its AI companies G42 and Core42 buy advanced US chips without licences, with the companies' approval running to April 6, 2027, while Saudi Arabia receives approvals case by case.[89] In Saudi Arabia, Aramco took a 49% stake in HUMAIN, the national AI company, in November 2026.[90]

Qatar is building the institutions alongside the infrastructure. Cabinet Decision 34 of 2026 creates a National Center for AI within the Ministry of Communications and Information Technology, ratified by the Amir in October 2026.[91] Qai, the AI company of the Qatar Investment Authority, agreed a $20 billion AI-infrastructure partnership with Brookfield in December 2025.[92] On security, Qatar's National Cyber Security Agency published guidelines for the secure adoption and use of AI in 2024 and in 2026 has run a training series for public and private organisations on the risks in AI systems and data pipelines.[93] Saudi Arabia's National Cybersecurity Authority consulted in July 2026 on draft AI cybersecurity guidelines that cover generative and agentic AI.[94] For Gulf companies, the regional picture is favourable: access to chips, sovereign Arabic models and agencies that are writing practical guidance rather than waiting for global rules.

How the models are likely to evolve to 2030

Four forces will shape the next four years. Our view rests on the evidence above and on stated assumptions; it is a judgement, not a forecast of any company's results.

— *Capability keeps compounding.* If the length of task agents can complete keeps doubling every three to four months, it would rise about tenfold a year, from a working week to several months of work by 2028. Measurement limits and cheating make the exact figure uncertain, but no published evidence yet shows the trend slowing.

— *AI is speeding up AI research.* METR estimated in November 2026 that Anthropic is improving its models on well-defined tasks at about twice its earlier rate, mostly because of its own use of

[86] QCRI, Hamad Bin Khalifa University, "Fanar 2.0: Arabic generative AI stack," arXiv 2603.16397, March 17, 2026 (CC BY 4.0).
[87] Technology Innovation Institute, "Falcon-H1R," arXiv 2601.02346, January 2026; AI Astrolabe, "Redteaming leading Arabic LLMs with ASAS," arXiv 2608.21985, August 22, 2026; SaferAI, arXiv 2512.01166 (all CC BY 4.0).
[88] Epoch AI, AI chip imports data, to the second quarter of 2026 (CC BY 4.0).
[89] US Department of Commerce, Bureau of Industry and Security, rule of July 14, 2026, Federal Register (public domain).
[90] Wikipedia, "Humain" (CC BY-SA).
[91] The Peninsula, "Amir ratifies decision to establish National Center for AI," October 20, 2026.
[92] Brookfield, filing with the US Securities and Exchange Commission, Exhibit 99.1, December 2025 (SEC EDGAR).
[93] The Peninsula, February 20, 2024; June 21, 2026; August 13, 2026.
[94] National Cybersecurity Authority, "AI Cybersecurity Guidelines," public consultation, July 5, 2026.

Exhibit 10

The UAE accounts for most of the Gulf's imported AI computing power, with Saudi Arabia and Qatar building their own.

Cumulative imports of AI chips, by GCC country, to mid-2026, H100-equivalents



For scale

19.7m
United States

2.7m
China

Bars: Epoch AI central estimate from trade data; lines: its low-to-high range. H100-equivalent: computing power of one Nvidia H100.

Note: Epoch AI's estimates from trade data, with its low-to-high range; an H100-equivalent is the computing power of one Nvidia H100 chip. Chips used through cloud services abroad are not imports and are not counted.
Source: Epoch AI, AI chip imports (CC BY 4.0); Reeve Hayward analysis

Reeve Hayward

AI.[95] OpenAI says it reached its goal of an automated "research intern" in September 2026 and targets an automated AI researcher by March 2028.[96] Faster research means less time between generations to test each one.

— *Cost keeps falling.* At about 13 times cheaper a year for the same performance, capabilities that only the leading developers had become widely available within a year or two, including through open-weight models.

— *Oversight is getting harder.* Models that notice tests, hide cheating and run for days stretch the tools used to check them, and developers increasingly restrict access to their most capable models rather than release them.

On those assumptions, our view is that by 2028 to 2030 AI agents will take on projects of weeks in software, analysis and research, supervised by fewer people; that the gap between what models can do on screen and in the physical world will remain wide, with autonomous surgery on people

[95] METR, assessment of AI R&D acceleration at Anthropic, November 5, 2026.
[96] OpenAI, research acceleration update, September 6, 2026 (credited).

unlikely before the mid-2030s; that cybersecurity will be a contest of speed in which defenders who patch quickly gain most; and that rules will centre on incident reporting, independent audits and controlled access to the most capable models rather than on licensing. The signposts to watch, in date order:

1. *The FDA workshop on autonomous robots,* December 2 and 3, 2026, and the EU's new bans, from December 2, 2026.

2. *New York's 72-hour incident reporting,* from January 1, 2027, the first such duty in a major jurisdiction.

3. *The UAE chip authorisation for G42 and Core42,* which runs to April 6, 2027.

4. *The EU's high-risk rules,* from December 2027 and August 2028, and OpenAI's March 2028 target for an automated AI researcher.

What boards can do now

The lessons of the labs' tests apply directly to companies that use AI agents. Five steps follow:

— **Treat agents like new staff with keys.** Give them only the access a task needs, require a person to approve any action that cannot be undone, such as payments, deletions and messages to clients, and keep logs; the incidents of 2026 started where agents had more access than their tasks required.

— **Assume instructions can be hidden.** Do not let an agent that reads emails, web pages or documents from outside also hold powerful tools or sensitive data; prompt injection may never be fully fixed.

— **Patch faster and count AI software as production software.** Flaws are being found faster than ever, and tools that connect applications to AI models are already on the list of those exploited by attackers.

— **Check what AI writes before it leaves the building.** Every citation, figure and legal reference; the courts' 2,300 decisions show the cost of skipping it.

— **Verify requests through a second channel.** Cloned voices and fake video make call-back checks on payment and data requests essential.

Frontier AI has passed the point where the question was whether it could do valuable work; it can, for longer and more cheaply every few months. The harder questions now are whether its developers can still tell how their systems will behave, and whether the institutions around them can keep up. The evidence of 2026 is that testing still catches problems, but that models are learning to recognise the tests.

For companies in Qatar and the Gulf, that points to a practical sequence: secure the systems and data first, then put agents to work where the gains are measurable and people stay accountable,

and build the skills to do both. The same questions of priority, risk and capability belong in strategy consulting in Qatar: an AI plan that ignores how these systems fail will learn it the expensive way.

The Research team at Reeve Hayward prepared this report in Doha. To discuss the findings, contact the team at info@reevehayward.com or +974 5543 7189.

Find more insights like this at
reevehayward.com

Scan to read our latest insights

This publication is provided for general information only and does not constitute investment, legal, tax, medical or regulatory advice, or an offer or recommendation to buy, sell, or hold any security. It is based on research papers, official records, developers' published reports and other sources whose terms allow their use, read between November 22, 2026 and the date of publication. Developers' findings are their own accounts and are credited as such; allegations in legal complaints have not been tested in court. Statements about what could happen are analytical judgments, not forecasts. Reeve Hayward and Co LLC (formerly Layal Consulting LLC) is registered in the Qatar Financial Centre (QFC No. 02385).
© 2026 Reeve Hayward